Contents

VOLUME 11, NUMBER 1, APRIL 1996

Spatial structure of avifauna along urban–rural gradients
Y. Natuhara and C. Imai 1

An experiment on ant predation in soil using a new bait trap method
T. Yamaguchi and M. Hasegawa 11

Analysis of the multi-stem clump structure of *Litsea japonica* Juss. growing in a coastal dwarf forest
S. Ito and K. Gyokusen 17

Stand dynamics during a 12 year period in an old-growth, cool temperate forest in northern Japan
K. Namikawa 23

Soil macro-invertebrates and litter disappearance in a Japanese mixed deciduous forest and comparison with European deciduous forests and tropical rainforests
J. Tsukamoto 35

Optimal brood size and its limiting factors in the Rufous Turtle Dove *Streptopelia orientalis*
K. Kameda 51

Age-specific life history tactics in organisms with determinate growth: Optimal models for non-optimal behavior?
D. Thomson 61

A model of litter harvesting by the Western Australian wheatbelt termite, *Drepanotermes tamminensis* (Hill), with particular reference to nutrient dynamics
H. C. Park, J. P. G. Orsini, J. D. Majer and R. J. Hobbs 69

Reconstruction of *Ropalidia fasciata* nests by progeny females after a typhoon and its significance in the social evolution of wasps
Y. Itô 79

Food habits of sika deer on the Boso Peninsula, central Japan
M. Asada and K. Ochiai 89

Gnawing damage by rodents to the seedlings of *Fagus crenata* and *Quercus mongolica* var. *grosseserrata* in a temperate *Sasa* grassland-deciduous forest series in southwestern Japan
H. Ida and N. Nakagoshi 97

Note and Comment

Ecological relationships between seedling emergence and litter cover in the earliest stage of plant succession on sandy soil
T. Nakamura 105

VOLUME 11, NUMBER 2, AUGUST 1996

Root respiration rate before and just after clear-felling in a mature, deciduous, broad-leaved forest
K. Nakane, T. Kohno and T. Horikoshi 111

Density-dependent mortality, growth and size inequality in roadside populations of the annual herb *Galium aparine* L.
J. G. Puntieri and R. L. Hall 121

Comparisons of nutrient recovery and specific leaf area variation between *Carex lasiocarpa* var. *occultans* and *Carex thunbergii* var. *appendiculata* with reference to nutrient conditions and shading by *Phragmites australis*
K. Onimaru and K. Yabe 139

Culm recruitment, dry matter dynamics and carbon flux in recently harvested and mature bamboo savannas in the Indian dry tropics
S. K. Tripathi and K. P. Singh 149

Effect of competitor abundance on feeding territoriality in a grazing fish, the ayu *Plecoglossus altivelis*
K. Iguchi and T. Hino 165

Nitrogen translocation via rhizome systems in monoclonal stands of *Reynoutria japonica* in an oligotrophic desert on Mt Fuji: Field experiments
N. Adachi, I. Terashima and M. Takahashi 175

Application of radiotelemetry to the survey of acorn dispersal by *Apodemus* mice
K. Soné and A. Kohno 187

Effects of the common cormorant, *Phalacrocorax carbo*, on evergreen forests in two nest sites at Lake Biwa, Japan
A. Ishida 193

Evaluation of the faster initial decomposition of tropical floating leaves of *Nymphaea elegans* Hook.
I. Ikusima and J. G. Gentil 201

Adaptation of stomatal response of *Camellia rusticana* to a heavy snowfall environment: Winter drought and net photosynthesis
A. Kume and C. Tanaka 207

Carbon dioxide evolution of an upland rice and barley, double cropping field in central Japan
T. Nakadai, T. Koizumi, Y. Bekku and T. Totsuka 217

VOLUME 11, NUMBER 3, DECEMBER 1996

The effects of a typhoon on Japanese warm temperate rainforest
P. J. Bellingham, T. Kohyama and S. Aiba 229

Pollination of the orchid *Epipactis thunbergii* by syrphid files (Diptera: Syrphidae)
N. Sugiura 249

Microdistribution of sulfate-reducing bacteria in sediments of a hypertrophic lake and their response to the addition of organic matter
M. Fukui and S. Takii 257

Changes in foliage distribution with relative irradiance and tree size: Differences between the saplings of *Acer platanoides* and *Quercus robur*
Ü. Niinemets 269

Herbivory pattern and induced responses to simulated herbivory in *Quercus mongolica* var. *grosseserrata*
G. Kudo 283

Production and population ecology of *Phyllospadix iwatensis* Makino. II. Comparative studies on leaf characteristics, foliage structure and biomass change in an intertidal and subtidal zone
T. Yabe, I. Ikusima and T. Tsuchiya 291

Topographic variations of soil properties and stand structure in a *Pinus thunbergii* plantation
T. Enoki, H. Kawaguchi and G. Iwatsubo 299

The spatial pattern and canopy–understory association of trees in a cool temperate, mixed forest in western Japan
N. Akashi 311

Resource availability and growth responses to defoliation in seedlings of three early-successional, tropical, woody species
W. H. L. Lim and I. M. Turner 321

Vegetation structure in relation to micro-landform in an evergreen broad-leaved forest on Amami Ohshima Island, south-west Japan
M. Hara, K. Hirata, M. Fujihara and K. Oono 325

Landform effects on fire behavior and post-fire regeneration in the mixed forests of northern Japan
S. Takaoka and K. Sasa 339

Differentiation and maintenance of topo-community patterns with reference to regeneration dynamics in mixed cool temperate forests in the Chichibu Mountains, central Japan
N. Yoshida and M. Ohsawa 351

Structure and regeneration of *Fraxinus spaethiana–Pterocarya rhoifolia* forests in unstable valleys in the Chichibu Mountains, central Japan
S. W. Ann and Y. Oshima 363

Vertical variation in fecundity of the intertidal gastropod *Monodonta labio* caused by different growth rates between tidal zones
Y. Takada 371

Note and Comment

Nutritional diversity of symbiotic ascidians in a Fijian seagrass meadow
I. Koike and T. Suzuki 381

Corrigenda 387

Referees 389

Author index 390

Subject index 391